

# QL-Automatic

Turntable Stretch Wrapper



## **QL-Automatic**

# **Turntable Stretch Wrapper**



# **UP TO 45 LOADS PER HOUR\***

\*depending on load height

#### Performance

Able to apply the right containment force consistently, which is the key to stretch wrapping success. Metered film delivery system; no load twisting, no load crushing, no film breaks. Wraps tighter with less film.

#### **Usability**

Fast and easy film changes. Machine generating performance data; know your containment force on every load, every day. Small footprint, it fits into the tightest of spaces.


## **Safety**

Safety fencing removes access to moving parts and reduces risk of injury. Interlock access gate shuts the machine down if the gate is open. E-stops kill the operation of the machine at the touch of a button.



Manage and improve your stretch wrapping with real time information about the machine's performance.

## **Applications**













Barrels

## Pattern

Big Bags





Trays



1	÷	17
LĽ		â
	TOT	11
LΓ		- 11

Full bag pallet

Half box pallet

Jug pallet

Mixed product pallet

## **Typical Equipment Dimensions**

149" (3785 mm)



Top view

### Load Size

36" L x 36" L x 24"H (914 x 914 x 610 mm) min. 48" W x 54" L x 92" H (1219 x 1372 x 2337 mm) max.

#### Film roll diameter

20 or 30" film width available for film delivery system

Load capacity 4000 lbs. (1814 kg) max.

**Operating pressure** 3-5 CFM @ 80 PSI

**Electrical requirements** 460 V / 3 Ph / 60 Hz

## Features

Metered film delivery system

No load twisting, no load crushing, no film breaks

Machine generating performance data

Fast and easy film changes

Maintains maximum containment force

Safe operation

Small footprint

Load guardian

Pallet Grip

Lan Logix

# Client Solutions

**Premier Tech Client Solutions** take a personalized approach to **lifecycle management**, creating enhanced solutions customized to your specific needs that develop your own capabilities and operational habits, and help you achieve and maintain productivity.

The Client Solutions' passionate team acts as a **partner** by maintaining constant collaboration and putting your interests at the heart of daily decisions throughout your equipment's lifecycle.

Our programs are designed to help you reach your highest **Overall Equipment Effectiveness (OEE)** and maximize your **Return on Investment (ROI)** by providing you with the most valuable lifecycle services in the industry focusing on critical areas such as **24/7 technical support, spare parts, field service, training, system assessments and optimization.** 



#### PT Systems and Automation

The information contained in this brochure is based upon the latest information available at the time of publication and is designed to provide you with a general introduction to our products. We make no warranties or representations as to its accuracy. We are continually updating and improving our products and reserve the right to amend, discontinue or alter specifications and prices without prior notice. Premier Tech is a registered trademark of Premier Tech Ltd.

> 20210216 © Premier Tech Ltd, 2021