

CHRONOS • CFS Series

RSC Case Erector



RSC Case Erector



UP TO 18 CASES PER MINUTE*

*Depends on machine configuration and container characteristics.

Performance

It features a positive opening system with opposing suction cups to ensure perfectly squared cases, even when handling thin or tiled cardboard.

Ergonomic and Safe Design

The cardboard blank magazine is positioned at an ideal height for operator comfort and safety.

Ease of Use

Its inline implementation allows for easy integration into existing production lines.

Container Types



RSC cases
(FEFCO 200 range)




The RSC case erector is designed for precision and efficiency. It ensures perfect case shaping and controlled squaring and sealing of various case sizes, making it ideal for diverse industries.


REQUEST A QUOTE >

Typical Equipment Dimensions

Medium size



Large size



Specifications

Cardboard loading height

27.5" (700 mm)

Cardboard capacity

39.3" (1000 mm)

Maximum blank dimensions

Medium size: up to 19.7" L x 15.7" W
(500 x 400 mm)

Large size: up to 23.6" L x 17.7" W
(600 x 450 mm)

Electrical requirements

460 V – 3 Ph – 60 Hz

Operating temperature

39 °F to 95 °F (4 °C to 35 °C)

Features

Horizontal cardboard magazine with a large capacity for prolonged autonomy

Fixed cardboard magazine height for ergonomic loading

Sealing process (hot melt glue or adhesive tape) can be adapted to various box sizes and production rates

Servo-driven machine with large access doors facilitates maintenance

Safeguarded by sensors and guard doors

Ergonomic and intuitive 12" HMI with video tutorials for guidance

Quick and tool-free format changeovers

4.0 connectivity permits real-time performance monitoring and remote control

Options

Automatic format changeovers

Inline, left, or right cardboard exit

Optional system for lower flap control to ensure correct folding



Lifetime

Client Solutions

Premier Tech Client Solutions take a personalized approach to lifecycle management, creating enhanced solutions customized to your specific needs that develop your own capabilities and operational habits, and help you achieve and maintain productivity.

The Client Solutions passionate team acts as a **partner** by maintaining constant collaboration and putting your interests at the heart of daily decisions throughout your equipment's lifecycle.

Our programs are designed to help you reach your highest **Overall Equipment Effectiveness (OEE)** and maximize your **Return on Investment (ROI)** by providing you with the most valuable lifecycle services in the industry focusing on critical areas such as **24/7 technical support, spare parts, field service, training, system assessments and optimization.**



PT Systems and Automation



PTSYSTEMSAUTOMATION.COM

The information contained in this brochure is based upon the latest information available at the time of publication and is designed to provide you with a general introduction to our products. We make no warranties or representations as to its accuracy. We are continually updating and improving our products and reserve the right to amend, discontinue or alter specifications and prices without prior notice. Premier Tech is a registered trademark of Premier Tech Ltd.

20241101
© Premier Tech Ltd, 2024